



SILK TOUCH VITRIFIED PVT. LTD.

Orson Ceramic Zone, Lakhdirpur Road,
Morbi-363 642, Gujarat, India.

DOMESTIC INQUIRY

Call : +91 89800 00272
Mail : info@silktouchceramics.com

EXPORT INQUIRY

Call : +91 90990 59215
Mail : export@royaletouchevitrified.in

Web : www.silktouchceramics.com

Follow us on



Definition of
**DESIGN &
COLOUR**





OUR STORY

WE ARE,
SILK TOUCH CERAMICS

Silk touch ceramics (formerly known as royale touche vitrified tiles) is a leading double charged vitrified tiles manufacturer since 2010. We are committed to deliver quality products through modern & state of art manufacturing facility, strong inhouse r&d and quality raw material from our owned mines. Our tiles are designed to last long in tough conditions. Silk touch tiles are designed uniquely with state of art colour combinations. Our range consist of various sizes like 600x600mm, 800x800mm and 600x1200mm. We believe in constant innovation that may lead to introduction of new products, sizes & designs in near future.



Silk touch ceramic range of double charge floor tiles is the epitome of creativity and advanced technology.

HIGH
GLOSS
NANO
TECHNOLOGY





CHOOSE THE BEST

Use the innovative surfaces at various places to make the ambience look stunning



DOMESTIC



COMMERCIAL



HOTEL
RESTAURANT
& CAFE



HOSPITAL



AIRPORT
TERMINAL



SCHOOL
& COLLEGE



GYMNASIUM



HALL &
CORRIDOR



MALL &
SUPER
MARKET



HOTEL



INDUSTRY



RELIGIOUS
PLACES



Silk touch ceramic range of double charge floor tiles is the epitome of creativity and advanced technology.



DOUBLE
LAYER



HIGH
GLOSSINESS



INTERIOR
APPLICATION



HIGH GLOSS
NANO
TECHNOLOGY



CHEMICAL
RESISTANCE



LOW WATER
ABSORPTION



SILK TOUCH
CERAMICS

**MODERN
WORLD**

Discover the most iconic collection for your interior space that gives a new look to your space.

silktouchceramics.com

RUTVA TILES
THE BEST TILE SOLUTIONS FOR A BETTER

The place to find yourself again and get that
Feeling of losing track of time. The place to
Get your mind back on track and feel alive
Again, somewhere where warmth fills the air.

**DOUBLE
CHARGE**



01

600X
600MM

93

800X
800MM

107

600X
1200MM




600X
600MM

G L O S S Y | M A T T


BEAUTY FOR YOUR AMBIANCE

Bring out the natural elegance
of your space with the exquisite
designs of the surfaces.



SAND


COLLECTION





H I G H G L O S S

SILK TOUCH
CERAMICS



PERLATO WHITE STONE

**600X
600MM**

DOUBLE
Charge

Nano
Technology

PERLATO
Series

25-26



H I G H G L O S S

SILK TOUCH
CERAMICS



PERLATO ICE STONE

**600X
600MM**

DOUBLE
Charge

Nano
Technology


PERLATO
Series

27-28



H I G H G L O S S

SILK TOUCH
CERAMICS



MOCCA GREY

**600X
600MM**

DOUBLE
Charge


Nano
Technology

41-42



H I G H G L O S S

SILK TOUCH
CERAMICS



**600X
600MM**

DOUBLE
Charge

Nano
Technology


ARMANI ITALINO MARBLE

59-60



H I G H G L O S S

SILK TOUCH
CERAMICS



ARMANI TWISTY MARBLE

**600X
600MM**

DOUBLE
Charge

Nano
Technology



H I G H G L O S S

SILK TOUCH
CERAMICS



PERLATO BIANCO STONE

**600X
600MM**

DOUBLE
Charge

Nano
Technology

PERLATO
Series

29-30



www.silk-touchceramics.com



H I G H G L O S S

SILK TOUCH
CERAMICS



PERLATO PEARL STONE

**600X
600MM**

DOUBLE
Charge

Nano
Technology


PERLATO
Series

31-32



H I G H G L O S S

SILK TOUCH
CERAMICS



PERLATO ONYX STONE

**600X
600MM**

DOUBLE
Charge

Nano
Technology

PERLATO
Series

33-34



H I G H G L O S S

SILK TOUCH
CERAMICS



BUTTERSCOTCH

**600X
600MM**

DOUBLE
Charge

Nano
Technology

39-40



H I G H G L O S S

SILK TOUCH
 CERAMICS



GREY FERRY

**600X
 600MM**


DOUBLE
 Charge

Nano
 Technology



H I G H G L O S S

SILK TOUCH
CERAMICS



STRAWBERRY TWIST

**600X
600MM**


DOUBLE
Charge

Nano
Technology



H I G H G L O S S

SILK TOUCH
CERAMICS



BLACK PEARL

**600X
600MM**

DOUBLE
Charge


Nano
Technology

www.silktouchceramics.com



H I G H G L O S S

SILK TOUCH
CERAMICS



ARMANI WHITE MARBLE

**600X
600MM**


DOUBLE
Charge

Nano
Technology



H I G H G L O S S

SILK TOUCH
CERAMICS



ARMANI CLASSIC MARBLE

**600X
600MM**

DOUBLE
Charge

Nano
Technology



www.silktouchceramics.com



H I G H G L O S S



600X
600MM

DOUBLE
Charge

Nano
Technology

ROYAL WHITE MARBLE

65-66



H I G H G L O S S

SILK TOUCH
CERAMICS



ANTIQUE CRACK MARBLE

**600X
600MM**

DOUBLE
Charge

Nano
Technology



G L O S S Y | M A T T

 **SILK TOUCH**
CERAMICS




**600X
600MM**

DOUBLE
Charge

Nano
Technology

SAND
COLLECTION

SAND SNOW

01-02



G L O S S Y | M A T T

SILK TOUCH
CERAMICS



SAND NERO

**600X
600MM**

DOUBLE
Charge

Nano
Technology

SAND
COLLECTION

03-04



G L O S S Y | M A T T

 **SILK TOUCH**
CERAMICS



SAND CREMA


**600X
600MM**

DOUBLE
Charge

Nano
Technology

SAND
COLLECTION

05-06



G L O S S Y | M A T T

SILK TOUCH
CERAMICS



SAND GRANITE


**600X
600MM**

DOUBLE
Charge

Nano
Technology

SAND
COLLECTION

09-10



G L O S S Y | M A T T

 **SILK TOUCH**
CERAMICS


**600X
600MM**

DOUBLE
Charge

Nano
Technology

SAND BLACK

SAND
COLLECTION

11-12

www.silktouchceramics.com



SILK TOUCH
CERAMICS

G L O S S Y | M A T T

600X
600MM

DOUBLE
Charge

Nano
Technology

SAND
COLLECTION

SAND CHOCO

13-14




www.silktouchceramics.com



SILK TOUCH
CERAMICS

G L O S S Y | M A T T



SAND COFFEE


**600X
600MM**

DOUBLE
Charge

Nano
Technology


SAND
COLLECTION

15-16



SILK TOUCH
CERAMICS

G L O S S Y | M A T T



**600X
600MM**

DOUBLE
Charge

Nano
Technology

SAND
COLLECTION


SAND LAVENDAR

19-20



H I G H G L O S S

SILK TOUCH
CERAMICS



**600X
600MM**

DOUBLE
Charge

Nano
Technology


ARMANI LAVA MARBLE

61-62



H I G H G L O S S

SILK TOUCH
CERAMICS



**600X
600MM**

DOUBLE
Charge

Nano
Technology

PERLATO
Series


PERLATO LAVA STONE

35-36



H I G H G L O S S

SILK TOUCH
CERAMICS



**600X
600MM**

DOUBLE
Charge

Nano
Technology

PLATINUM PEARL WHITE

71-72



H I G H G L O S S

SILK TOUCH
CERAMICS



**600X
600MM**

DOUBLE
Charge

Nano
Technology

PLATINUM ALMOND GRANITE

75-76



H I G H G L O S S

SILK TOUCH
 CERAMICS



PLATINUM GREY GRANITE

**600X
 600MM**


DOUBLE
 Charge

Nano
 Technology



H I G H G L O S S

SILK TOUCH
CERAMICS



PLATINUM WHITE GRANITE

**600X
600MM**

DOUBLE
Charge

Nano
Technology




www.silktouchceramics.com



SILK TOUCH
CERAMICS

H I G H G L O S S



**600X
600MM**

DOUBLE
Charge

Nano
Technology

PLATINUM BLUE GRANITE

83-84



www.silktouchceramics.com



H I G H G L O S S

SILK TOUCH
CERAMICS



PLATINUM NATURAL GRANITE

**600X
600MM**

DOUBLE
Charge

Nano
Technology

73-74



H I G H G L O S S

SILK TOUCH
CERAMICS




**600X
600MM**

DOUBLE
Charge

Nano
Technology

PLATINUM MULTICOLOR GRANITE

77-78



ULTRA SUPER WHITE




ULTRA CREMA

H I G H G L O S S



ULTRA PINK



ULTRA BLUE


**600X
600MM**

DOUBLE
Charge

Nano
Technology



H I G H G L O S S

SILK TOUCH
CERAMICS



ULTRA GREEN



ULTRA RED

**600X
600MM**

DOUBLE
Charge

Nano
Technology



H I G H G L O S S

SILK TOUCH
CERAMICS



**600X
600MM**

DOUBLE
Charge

Nano
Technology

ARMANI GREECE MARBLE

55-56

TECHNICAL SPECIFICATION

Sr. No.	Characteristics	International Std. ISO 13006/EN 176 Group B1a	SILK TOUCH VITRIFIED TILES	Method of Testing
01	Deviation in length & width	± 0.6%	± 0.1%	EN 98
02	Deviation in thickness	± 5.0%	± 5.0%	EN 98
03	Straightness in sides	± 0.5%	± 0.1%	EN 98
04	Rectangularity	± 0.6%	± 0.2%	EN 98
05	Surface flatness	± 0.5%	± 0.2%	EN 98
06	Water absorption*	< 0.5%	< 0.05 %	EN 99
07	Moh's hardness*	> 6	> 8	EN 101
08	Flexural strength*	> 27 N/mm ²	> 47 N/mm ²	EN 100
09	Abrasion resistance	< 204 mm ³	< 144 mm ³	EN 102
10	Skid resistance (Friction coefficient)	> 0.4	> 0.6	ASTM C-1028
11	Breaking Strength*	1113 N	2830 N	ASTM C-648
12	Density (g/cc)	> 2	2.4	DIN 51082
13	Frost resistance	Frost proof	Frost proof	EN 202
14	Chemical resistance	No damage	No damage	EN 106
15	Thermal shock resistance	No damage	No damage	EN 104
16	Colour resistance	No damage	No damage	DIN 51094
17	Thermal Expansion (COE)	< 9.0x10 ⁻⁶	< 6.5x10 ⁻⁶	EN 103
18	Satin resistance	Resistance	Resistance	ISO-10545-14
19	Moisture expansion	Nil	Nil	ISO-10545-10
20	Glossiness	-	Min. 65%-70% reflection	Glossometer

PACKAGING DETAILS



Size	Norma Thickness	No. of Tiles/Box	Coverage Area	Wt. of Box
600x600mm	8.8mm (Approx.)	4 Pcs.	1.44 Sq.mt.	26 Kgs. (Approx)
800x800mm	9.8mm (Approx.)	3 Pcs.	1.92 Sq.mt.	36 Kgs. (Approx)
600x1200mm	9mm (Approx.)	2 Pcs.	1.44 Sq.mt.	28 Kgs. (Approx)
600x600mm (Full Body)	10mm (Approx.)	4 Pcs.	1.44 Sq.mt.	32 Kgs. (Approx)

DISCLAIMER: We reserves the right to delete & amend either totally or partially, any of the colours, shapes, sizes, references and other technical specifications contained in this catalogue at any time. The colours shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of colours, sizes, references should be verified for Typographical errors SHADE & SIZE VARIATIONS are inherent characteristics of ceramics. NO COMPLAINT SHALL BE ENTERTAINED ON TILES ALREADY LAID/FIXED.



TILES INSTALLATION GUIDE

"SILK TOUCHE" Vitrified tiles, manufactured using latest Italian Technology machinery are with best quality sands, which are purified by removing all impurities, So use proper and perfect way of installation to avoid bending, shade variation and sizing problems.



- Place all the arrows in same direction
- Maintain perfect level at point (1) and (2) as shown in picture
- Bending up to 0.5mm is valid in ceramic industry as mentioned in catalogue. (Zero Bending is not possible)

Note: Please install tiles as illustrated Company is not responsible after installation.